



TOWN OF SOUTHPORT

1139 Pennsylvania Avenue · Elmira New York 14904

Area Code 607

May 1, 2014

Supervisor

734-1548

Town Clerk

734-1548

Assessor

734-4424

Bookkeeper

737-5270

Building/Zoning

737-5268

Drainage

737-5269

Highway

733-5467

Fax: 737-7891

Justice Court

734-4446

Police

734-3637

**Recreation/
Youth Services**

732-4265

**Senior Citizens/
Community Center**

732-1410

Town Hall

Fax: 737-5267

Notre Dame High School
Attn: Sister Mary Walter Hickey
1400 Maple Avenue
Elmira, NY 14904

RE: Notre Dame Athletic Field Improvements
SPDES Permit #NYR10X822

Dear Sister Mary Walter Hickey,

We have received Hunt Engineers request, dated April 25, 2014, to disturb greater than 5 acres of soil at any one time on the above referenced construction project. Based upon the information contained in the letter and the additional information submitted, your request to disturb greater than 5 acres has been approved. Work must be done as described in your letter and comply with the following conditions as per Part II.C.3 of GP-0-08-001:

1. All erosion and sediment control features must be properly maintained during construction.
2. The *owner or operator* shall have a *qualified inspector* conduct at least two (2) site inspections in accordance with the Permit every seven (7) calendar days for so long as greater than five (5) acres of soil remain disturbed and allow two (2) calendar days between inspections.
3. In areas where soil disturbance activity has been temporarily or permanently ceased, temporary and/or permanent soil stabilization measures shall be installed and/or implemented within seven (7) days from the date the soil disturbance activity ceased. The soil stabilization measures selected shall be in conformance with the most current version of the *New York State Standards and Specifications for Erosion and Sediment Control*.
4. The *owner or operator* shall install any additional measures needed to protect water quality.
5. Establish SWPPP communication track to be followed among permittee, inspector, contractor, municipality, and this office to secure prompt (within 48 hours) corrections to site deficiencies identified by each inspection.
6. The owner or operator includes the requirement above in their SWPPP (may be incorporated by inclusion of this document in site log book).

Should you have any questions regarding this letter or the requirements of our general permits, please contact either myself or the Chemung County Stormwater Coalition.

Sincerely,

A handwritten signature in black ink, appearing to read 'P. Rocchi', with a long, sweeping horizontal line extending to the right.

Peter Rocchi
Code Enforcement/Stormwater Management Officer

Cc: J. Woodard, Hunt Engineers
Chemung County Stormwater Coalition