

Building Department
Office of Code Enforcement
PO Box 183
4049 Watkins Rd
Millport, NY 14864

Tel 607.739.1679 — Fax 607.739.8371

January 17, 2017

Dominion Transmission, Inc.
Christie Neller
707 East Main Street
Richmond, VA 23219

RE: Horseheads Compressor Station-Bush Road, Town of Veteran, NY
SPDES Permit #NYR11B663

Dear Christie Neller,

We have received the request from Dominion via John S. Munsey of CT Male, dated July 20, 2016 and revised September 12, 2016, to disturb greater than 5 acres of soil at any one time on the above referenced construction project. Based upon the information contained in the letter and the additional information submitted, your request to disturb greater than 5 acres has been approved. Work must be done as described in your letter/revised information and comply with the following conditions as per Local Law # 2 of 2008 and Part II.C.3 of GP-0-15-002:

1. All erosion and sediment control features must be properly maintained during construction.
2. The *owner or operator* shall have a *qualified inspector* conduct at least two (2) site inspections in accordance with the Permit every seven (7) calendar days for so long as greater than five (5) acres of soil remain disturbed and allow two (2) calendar days between inspections.
3. In areas where soil disturbance activity has been temporarily or permanently ceased, temporary and/or permanent soil stabilization measures shall be installed and/or implemented within seven (7) days from the date the soil disturbance activity ceased. The soil stabilization measures selected shall be in conformance with the most current version of the *New York State Standards and Specifications for Erosion and Sediment Control*.
4. The *owner or operator* shall install any additional measures needed to protect water quality.
5. Establish SWPPP communication track to be followed among permittee, inspector, contractor, municipality, and this office to secure prompt (within 48 hours) corrections to site deficiencies identified by each inspection.
6. The *owner or operator* includes the requirement above in their SWPPP (may be incorporated by inclusion of this document in site log book).

Should you have any questions regarding this letter or the requirements of our local law, please contact either myself or the Chemung County Stormwater Coalition.

Sincerely,

A handwritten signature in black ink, appearing to read "Ken Ripley", with a long horizontal stroke extending to the right.

Ken Ripley
Code Enforcement/Stormwater Management Officer

Cc: J. Munsey, CT Male
Chemung County Stormwater Coalition